



---

## Cree LED ground light Moura | warm white | 3 watt | square

### Product Images

---



## Short Description

---

The Cree LED ground light Moura is suitable for illuminating a tree, shrub or object between 2 and 5 metres in height. This ground light also illuminates a facade. The Moura ground light consumes 3 watts and operates on 230 volts.

## Description

---

The Cree LED ground light Moura brings with its light angle of 30° and its warm white light colour (2700k) atmosphere in your garden. The ground light is energy-efficient and consumes only 3 watts. The spotlight is weather-resistant and is therefore IP67. IP 67 indicates that the Cree LED ground light is dustproof and resistant to splash and spray water. The ground light is made of stainless steel and the housing has a notch for the cable. This prevents the cable from being crushed under the ground. The cable attached to the ground light is 3-core and 1.5 metres long.

You must connect the 3-core cable directly to a 230-volt power cable. Our waterproof cable connectors make it possible to connect the ground light to the 230-volt cable. You must add these separately to your shopping basket and they are not supplied with the Cree LED ground light. Want to connect this ground light to a twilight switch or motion detector? That is possible! Both can be ordered from our webshop.

Tip: We recommend that 230-volt cables be laid 60 cm underground so they can be safely concealed.

You will receive a 5-year guarantee on the Moura LED spotlight. You can find more product information about the Moura ground light in the product specifications. Do you have a question for our LED specialists? Please feel free to contact us.

## Additional Information

---

Article number	L2087
EAN code	7435124530561
Brand	Hamulight
Suitable for	Outside
Light color	Warm white (2700K)
Input voltage	230V AC
LED chip	Cree
Consumption	3 watt
Dimmable	No
Lumen per LED (including lens)	145 lm
Color Rendering Index (CRI)	< 82
Light angle	30 Degrees
Length	50 mm
Width	50 mm
Height	95 mm
Hole size	43 mm
Cabling per LED	100 cm
Transformer required?	No
Material	Stainless steel
Housing color	Nickel
IP value	IP67
IK value	IK07
Quality mark	CE, Rohs
Guarantee	5 years
Energy label old	A++
Energy label new	G