



Epistar LED decklight Horta | RGB | 5,4 watt | set of 6 pieces

Product Images



Short Description

The Epistar LED Horta deck lights are supplied in a set of 6 spots (0.9 watts per spot). This set includes a 12-volt transformer and remote control. With the remote control, you can adjust the light color in 16 different colors. You can expand this set with separate Horta spots up to a maximum of 8 spots.

Description

This set is a real mood enhancer and is suitable for installing in your decking. The power consumption per spotlight is 0.9 watts. With 0.9 watts per spot, a cosy atmosphere is created and the light from the spots is not too bright, so it is not annoying when the light shines in your eyes. The supplied transformer converts the incoming 230 volts (high voltage) to 12 volts (low voltage). This set has an IP value of 67 (IP67). This means that this set is weatherproof.

With the supplied remote control, you can switch the spots of this set on and off and change the colour of the light. You can choose from 16 different colours! Furthermore, it is possible to set the spots to 4 different positions; flash, strobe, fade and smooth.

The transformer is equipped with a plug and a connector. The spots have the same coupling piece, so you can easily connect the spots to the transformer. With this set, you receive a cap to close the cable of the last spotlight, so that no water or dirt can penetrate. Each spotlight has a 1-metre cable. Is 1 metre not enough? Then you can always order an extension cable.

Tip: make sure you can still easily reach the transformer.

The spots has a 5-year guarantee. More product details can be found in the product specifications. Also, watch the product video. Would you like to speak to one of our LED specialists? Call, email or chat with us.

Additional Information

Article number	LVS802-06
EAN code	7435124510594
Brand	Hamulight
Suitable for	Inside & outside
Light color	RGB
Input voltage	230V AC
LED chip	Epistar
Consumption	0,9 watt
Dimmable	Yes
Lumen per LED (including lens)	50 lm
Light angle	120 Degrees
Length	57 mm
Width	57 mm
Height	9 mm
Hole size	50 mm
Cabling per LED	100 cm
Transformer required?	Yes (standard included)
Material	Aluminium
Housing color	Nickel
IP value	IP67
Quality mark	CE, Rohs
Guarantee	5 years
Energy label old	A++
Energy label new	G