

Cree LED recessed spotlight Soria | square | warm white | 3 watt | dimmable | tiltable | different colours

Product Images



Short Description

The Soria LED recessed spotlight square is a beautifully finished recessed spot that shines with a nice warm white (2700k) light. The spot has an output of 3 watts and is also tiltable and dimmable.

Description

The Soria LED recessed spot square can be used in any direction. The spot is dimmable and tiltable! You can therefore dim this spot to the desired amount of light and if you need more light in a particular place, you can also tilt the spot. This square variant of the Soria recessed spotlight can easily be used with existing holes in your ceiling. But even if you don't have any holes, this spotlight is highly recommended.

The Soria recessed spot has a low height (35 mm), which makes it suitable for almost every ceiling. The IP-44 rating of the Soria recessed spotlight makes it possible to install this spotlight in every room in your house.

A transformer is included with every Soria LED recessed spotlight. You have to connect the transformer directly to the power cable in the ceiling. On the other side of the transformer is a connection piece that you can use to click the Soria spotlight onto the transformer.

The dimmable Soria recessed LED spotlight can be operated with a rotary LED dimmer. You can find these in the section 'Accessories' on our webshop. Our hole saws (53 mm) are also worth checking out. These allow you to make holes in the perfect size. This ensures that the spotlight fits exactly in the hole.

Tip: we advise you to disconnect the power while installing the Soria recessed spotlights.

Check whether you can make use of the quantity discount that we offer for this Soria spotlight. You can save up to 7%. You can find more information about this recessed spotlight in the product specifications. Do you still need more information? Please contact us.

Additional Information

EAN code	7435852670669
Brand	Hamulight
LED chip	Cree
Suitable for	Inside
Consumption	3 watt
Input voltage	230V AC
Light color	Warm white (2700K)
Lumen per LED (including lens)	155 lm
Color Rendering Index (CRI)	>82
Light angle	45 Degrees
Dimmable	Yes
Tiltable	Yes
Cabling per LED	10 cm
Transformer required?	Yes (standard included)
Transformer required? Dimensions transformer	Yes (standard included) 38x26x21mm
Dimensions transformer	38x26x21mm
Dimensions transformer Circuit	38x26x21mm Parallel
Dimensions transformer Circuit Length	38x26x21mm Parallel 60 mm
Dimensions transformer Circuit Length Width	38x26x21mm Parallel 60 mm 60 mm
Dimensions transformer Circuit Length Width Height	38x26x21mm Parallel 60 mm 60 mm 35 mm
Dimensions transformer Circuit Length Width Height Hole size	38x26x21mm Parallel 60 mm 60 mm 35 mm
Dimensions transformer Circuit Length Width Height Hole size Material	38x26x21mm Parallel 60 mm 60 mm 35 mm 53 mm Aluminium
Dimensions transformer Circuit Length Width Height Hole size Material IP value	38x26x21mm Parallel 60 mm 60 mm 35 mm 53 mm Aluminium
Dimensions transformer Circuit Length Width Height Hole size Material IP value Quality mark	38x26x21mm Parallel 60 mm 60 mm 35 mm 53 mm Aluminium IP44 CE, Rohs
Dimensions transformer Circuit Length Width Height Hole size Material IP value Quality mark Guarantee	38x26x21mm Parallel 60 mm 60 mm 35 mm 53 mm Aluminium IP44 CE, Rohs Spots: 3 years, Trafo: 2 years

Colours

Kleur spot:	Black
	Aluminium
	White